

CBZ SLIM LUXURY DOUBLE WALL DRAWER


超薄豪华骑马抽屉系列






- 隐藏式全拉出缓冲抽屉
 - 表面颜色: 灰色、白色及其它颜色
 - 载重: 40kg
 - 无需工具, 抽屉可快速安装和拆卸
 - 静音系统, 滑轨运动顺畅
 - 三维调节, 上下(可调 ± 2mm)、左右(可调 ± 1.5mm)方向, 面板倾斜调节
 - 自闭功能, 平缓关闭, 抽屉关闭不受重量影响
 - 长度: 300-550mm
 - 针对面板无拉手的情形, 可选用内置反弹功能的CBZFT隐藏式反弹滑轨
- Soft close concealed full extension drawer
 - Finish color: gray, white or various colors available
 - Dynamic load capacity: 40kg
 - Tool-free quick installation
 - Quiet system can guarantee the slides run smoothly without noise
 - 6-way adjustment: ± 2mm up and down, ± 1.5mm left and right, front panel tilt adjustment
 - Soft-closing function make the drawer close safely without effect of weight
 - Length: 300-550mm
 - For the panel without handle, can choose the CBZFT concealed slide with built-in push-open function


产品型号 Item No.	标称长度NL (mm) Nominal length	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
CBZ69-300W	300	269	303	4
CBZ69-350W	350	319	353	4
CBZ69-400W	400	369	403	4
CBZ69-450W	450	419	453	4
CBZ69-500W	500	469	503	4
CBZ69-550W	550	519	553	4



- CBZ69 侧板(左/右)+装饰盖 1付
CBZ69 Side board (L/R)+Cover 1Pair
- 滑轨(左/右) 1付 (可选CBZ缓冲滑轨或CBZFT反弹滑轨)
Slides (L/R) 1Pair (Optional CBZ soft-closing slide or CBZFT Push-open slide)
- CBZ69 配件包(左/右) 1付
CBZ69 Fitting bag (L/R) 1Pair




柜体滑轨安装孔尺寸 Hole pattern




滑轨安装尺寸 Installation size

CBZ 缓冲滑轨 CBZ Soft-closing slide

LT: 最小柜深 Min cabinet depth
NL: 标称长度 Nominal length




CBZFT 反弹滑轨 CBZFT Push-open slide




柜体所需空间 Space required

LW: 柜体净宽 Inside net width
B/C/D: 用户自定 User defines
Min: 最小尺寸




前接码面板安装尺寸 Connectors front panel dimensions

B/C/D: 用户自定 User defines




背板安装尺寸 Rear panel dimensions



调节机构 Adjustment mechanism

- 上下调节 Up and down
- 面板拆卸 Pop-up panel
- 左右调节 Horizontal adjusting
- 面板倾斜调节 Front panel tilt adjustment


CBZFT 反弹滑轨可调节抽屉与面板的间隙
CBZFT Push-open slide space adjustment




抽屉木板尺寸 Drawer board dimensions

LW: 柜体净宽 Inside net width NL: 标称长度 Nominal length

方式一 Style 1



方式二 Style 2




板厚 Board thickness: 16mm




- 隐藏式全拉出缓冲抽屉
- 表面颜色: 灰色、白色及其它颜色
- 载重: 40kg
- 无需工具, 抽屉可快速安装和拆卸
- 静音系统, 滑轨运动顺畅
- 三维调节, 上下(可调±2mm)、左右(可调±1.5mm)方向, 面板倾斜调节
- 自闭功能, 平缓关闭, 抽屉关闭不受重量影响
- 长度: 300-550mm
- 针对面板无拉手的情形, 可选用内置反弹功能的CBZFT隐藏式反弹滑轨

- Soft close concealed full extension drawer
- Finish color: gray, white or various colors available
- Dynamic load capacity: 40kg
- Tool-free quick installation
- Quiet system can guarantee the slides run smoothly without noise
- 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
- Soft-closing function make the drawer close safely without effect of weight
- Length: 300-550mm
- For the panel without handle, can choose the CBZFT concealed slide with built-in push-open function


产品型号 Item No.	标称长度NL (mm) Nominal length	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
CBZ69-300N	300	269	303	4
CBZ69-350N	350	319	353	4
CBZ69-400N	400	369	403	4
CBZ69-450N	450	419	453	4
CBZ69-500N	500	469	503	4
CBZ69-550N	550	519	553	4




- CBZ69 侧板(左/右)+装饰盖 1付
CBZ69 Side board (L/R)+Cover 1Pair
- 滑轨(左/右) 1付 (可选CBZ缓冲滑轨或CBZFT反弹滑轨)
Slides (L/R) 1Pair (Optional CBZ soft-closing slide or CBZFT Push-open slide)
- CBZ69 配件包(左/右) 1付
CBZ69 Fitting bag (L/R) 1Pair
- CBZ69 铝面板配件包(左/右) 1付
CBZ69 Aluminum front panel fittings bag (L/R) 1Pair
- CBZ69 铝面板 1件
CBZ69 Aluminum front panel 1Pcs




柜体滑轨安装孔尺寸 Hole pattern




滑轨安装尺寸 Installation size




柜体所需空间 Space required




铝面板装配示意 Aluminum front panel assembly




背板安装尺寸 Rear panel dimensions



调节机构 Adjustment mechanism



抽屉木板尺寸 Drawer board dimensions







- 隐藏式全拉出缓冲抽屉
- 表面颜色: 灰色、白色及其它颜色
- 载重: 40kg
- 无需工具, 抽屉可快速安装和拆卸
- 静音系统, 滑轨运动顺畅
- 三维调节, 上下(可调 ± 2mm)、左右(可调 ± 1.5mm)方向, 面板倾斜调节
- 自闭功能, 平缓关闭, 抽屉关闭不受重量影响
- 长度: 300-550mm
- 针对面板无拉手的情形, 可选用内置反弹功能的CBZFT隐藏式反弹滑轨

- Soft close concealed full extension drawer
- Finish color: gray, white or various colors available
- Dynamic load capacity: 40kg
- Tool-free quick installation
- Quiet system can guarantee the slides run smoothly without noise
- 6-way adjustment: ± 2mm up and down, ± 1.5mm left and right, front panel tilt adjustment
- Soft-closing function make the drawer close safely without effect of weight
- Length: 300-550mm
- For the panel without handle, can choose the CBZFT concealed silide with built-in push-open function


产品型号 Item No.	标称长度NL (mm) Nominal length	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
CBZ84-300W	300	269	303	4
CBZ84-350W	350	319	353	4
CBZ84-400W	400	369	403	4
CBZ84-450W	450	419	453	4
CBZ84-500W	500	469	503	4
CBZ84-550W	550	519	553	4



- CBZ84 侧板(左/右)+装饰盖 1付
CBZ84 Side board (L/R)+Cover 1Pair
- 滑轨(左/右) 1付 (可选CBZ缓冲滑轨或CBZFT反弹滑轨)
Slides (L/R) 1Pair (Optional CBZ soft-closing slide or CBZFT Push-open slide)
- CBZ84 配件包(左/右) 1付
CBZ84 Fitting bag (L/R) 1Pair




柜体滑轨安装孔尺寸 Hole pattern




滑轨安装尺寸 Installation size

CBZ 缓冲滑轨 CBZ Soft-closing slide
LT: 最小柜深 Min cabinet depth
NL: 标称长度 Nominal length




CBZFT 反弹滑轨 CBZFT Push-open slide




柜体所需空间 Space required

LW: 柜体净宽 Inside net width
B/C/D: 用户自定义 User defines
Min: 最小尺寸




前接码面板安装尺寸 Connectors front panel dimensions

B/C/D: 用户自定义 User defines



背板安装尺寸 Rear panel dimensions



调节机构 Adjustment mechanism


- 上下调节 Up and down
- 面板拆卸 Pop-up panel
- 左右调节 Horizontal adjusting
- 面板倾斜调节 Front panel tilt adjustment

CBZFT 反弹滑轨可调节抽屉与面板的间隙
CBZFT Push-open slide space adjustment
间隙 space ≥ 2.5mm


抽屉木板尺寸 Drawer board dimensions

LW: 柜体净宽 Inside net width NL: 标称长度 Nominal length

方式一 Style 1



方式二 Style 2




板厚 Board thickness: 16mm




- 隐藏式全拉出缓冲抽屉
- 表面颜色: 灰色、白色及其它颜色
- 载重: 40kg
- 无需工具, 抽屉可快速安装和拆卸
- 静音系统, 滑轨运动顺畅
- 三维调节, 上下(可调±2mm)、左右(可调±1.5mm)方向, 面板倾斜调节
- 自闭功能, 平缓关闭, 抽屉关闭不受重量影响
- 长度: 300-550mm
- 针对面板无拉手的情形, 可选用内置反弹功能的CBZFT隐藏式反弹滑轨

- Soft close concealed full extension drawer
- Finish color: gray, white or various colors available
- Dynamic load capacity: 40kg
- Tool-free quick installation
- Quiet system can guarantee the slides run smoothly without noise
- 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
- Soft-closing function make the drawer close safely without effect of weight
- Length: 300-550mm
- For the panel without handle, can choose the CBZFT concealed slide with built-in push-open function


产品型号 Item No.	标称长度NL (mm) Nominal length	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
CBZ84-300N	300	269	303	4
CBZ84-350N	350	319	353	4
CBZ84-400N	400	369	403	4
CBZ84-450N	450	419	453	4
CBZ84-500N	500	469	503	4
CBZ84-550N	550	519	553	4




- CBZ84 侧板(左/右)+装饰盖 1付
CBZ84 Side board (L/R)+Cover 1Pair
- 滑轨(左/右) 1付 (可选CBZ缓冲滑轨或CBZFT反弹滑轨)
Slides (L/R) 1Pair (Optional CBZ soft-closing slide or CBZFT Push-open slide)
- CBZ84 配件包(左/右) 1付
CBZ84 Fitting bag (L/R) 1Pair
- CBZ84 铝面板配件包(左/右) 1付
CBZ84 Aluminum front panel fittings bag (L/R) 1Pair
- CBZ84 铝面板 1件
CBZ84 Aluminum front panel 1Pcs




柜体滑轨安装孔尺寸 Hole pattern




滑轨安装尺寸 Installation size




柜体所需空间 Space required




铝面板装配示意 Aluminum front panel assembly




背板安装尺寸 Rear panel dimensions




调节机构 Adjustment mechanism




抽屉木板尺寸 Drawer board dimensions






- 隐藏式全拉出缓冲抽屉
 - 表面颜色: 灰色、白色及其它颜色
 - 载重: 40kg
 - 无需工具, 抽屉可快速安装和拆卸
 - 静音系统, 滑轨运动顺畅
 - 三维调节, 上下(可调 ± 2mm)、左右(可调 ± 1.5mm)方向, 面板倾斜调节
 - 自闭功能, 平缓关闭, 抽屉关闭不受重量影响
 - 长度: 300-550mm
 - 针对面板无拉手的情形, 可选用内置反弹功能的CBZFT隐藏式反弹滑轨
- Soft close concealed full extension drawer
 - Finish color: gray, white or various colors available
 - Dynamic load capacity: 40kg
 - Tool-free quick installation
 - Quiet system can guarantee the slides run smoothly without noise
 - 6-way adjustment: ± 2mm up and down, ± 1.5mm left and right, front panel tilt adjustment
 - Soft-closing function make the drawer close safely without effect of weight
 - Length: 300-550mm
 - For the panel without handle, can choose the CBZFT concealed silide with built-in push-open function

产品型号 Item No.	标称长度NL (mm) Nominal length	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
CBZ116-300W	300	269	303	4
CBZ116-350W	350	319	353	4
CBZ116-400W	400	369	403	4
CBZ116-450W	450	419	453	4
CBZ116-500W	500	469	503	4
CBZ116-550W	550	519	553	4




- CBZ116 侧板(左/右)+装饰盖 1付
CBZ116 Side board (L/R)+Cover 1Pair
- 滑轨(左/右) 1付 (可选CBZ缓冲滑轨或CBZFT反弹滑轨)
Slides (L/R) 1Pair (Optional CBZ soft-closing slide or CBZFT Push-open slide)
- CBZ116 配件包(左/右) 1付
CBZ116 Fitting bag (L/R) 1Pair


柜体滑轨安装孔尺寸 Hole pattern




滑轨安装尺寸 Installation size




柜体所需空间 Space required




前接码面板安装尺寸 Connectors front panel dimensions




背板安装尺寸 Rear panel dimensions




调节机构 Adjustment mechanism



抽屉木板尺寸 Drawer board dimensions




板厚 Board thickness: 16mm










- 隐藏式全拉出缓冲抽屉
- 表面颜色: 灰色、白色及其它颜色
- 载重: 40kg
- 无需工具, 抽屉可快速安装和拆卸
- 静音系统, 滑轨运动顺畅
- 三维调节, 上下(可调±2mm)、左右(可调±1.5mm)方向, 面板倾斜调节
- 自闭功能, 平缓关闭, 抽屉关闭不受重量影响
- 长度: 300-550mm
- 针对面板无拉手的情形, 可选用内置反弹功能的CBZFT隐藏式反弹滑轨


- Soft close concealed full extension drawer
- Finish color: gray, white or various colors available
- Dynamic load capacity: 40kg
- Tool-free quick installation
- Quiet system can guarantee the slides run smoothly without noise
- 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
- Soft-closing function make the drawer close safely without effect of weight
- Length: 300-550mm
- For the panel without handle, can choose the CBZFT concealed slide with built-in push-open function

产品型号 Item No.	标称长度NL (mm) Nominal length	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
CBZ116-300N	300	269	303	4
CBZ116-350N	350	319	353	4
CBZ116-400N	400	369	403	4
CBZ116-450N	450	419	453	4
CBZ116-500N	500	469	503	4
CBZ116-550N	550	519	553	4




- CBZ116 侧板(左/右)+装饰盖 1付
CBZ116 Side board (L/R)+Cover 1Pair
- 滑轨(左/右) 1付 (可选CBZ缓冲滑轨或CBZFT反弹滑轨)
Slides (L/R) 1Pair (Optional CBZ soft-closing slide or CBZFT Push-open slide)
- CBZ116 配件包(左/右) 1付
CBZ116 Fitting bag (L/R) 1Pair
- CBZ116 铝面板配件包(左/右) 1付
CBZ116 Aluminum front panel fittings bag (L/R) 1Pair
- CBZ116 铝面板 1件
CBZ116 Aluminum front panel 1Pcs
- CBZ116 铝面板拉杆 1件
CBZ116 Aluminum rod 1Pcs






- 隐藏式全拉出缓冲抽屉
 - 表面颜色: 灰色、白色及其它颜色
 - 载重: 40kg
 - 无需工具, 抽屉可快速安装和拆卸
 - 静音系统, 滑轨运动顺畅
 - 三维调节, 上下(可调±2mm)、左右(可调±1.5mm)方向, 面板倾斜调节
 - 自闭功能, 平缓关闭, 抽屉关闭不受重量影响
 - 长度: 300-550mm
 - 针对面板无拉手的情形, 可选用内置反弹功能的CBZFT隐藏式反弹滑轨
- Soft close concealed full extension drawer
 - Finish color: gray, white or various colors available
 - Dynamic load capacity: 40kg
 - Tool-free quick installation
 - Quiet system can guarantee the slides run smoothly without noise
 - 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
 - Soft-closing function make the drawer close safely without effect of weight
 - Length: 300-550mm
 - For the panel without handle, can choose the CBZFT concealed slide with built-in push-open function

产品型号 Item No.	标称长度NL (mm) Nominal length	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
CBZ167-300W	300	269	303	4
CBZ167-350W	350	319	353	4
CBZ167-400W	400	369	403	4
CBZ167-450W	450	419	453	4
CBZ167-500W	500	469	503	4
CBZ167-550W	550	519	553	4





- CBZ167 侧板(左/右)+装饰盖 1付
CBZ167 Side board (L/R)+Cover 1Pair
- 滑轨(左/右) 1付 (可选CBZ缓冲滑轨或CBZFT反弹滑轨)
Slides (L/R) 1Pair (Optional CBZ soft-closing slide or CBZFT Push-open slide)
- CBZ167 配件包(左/右) 1付
CBZ167 Fitting bag (L/R) 1Pair


柜体滑轨安装孔尺寸 Hole pattern




滑轨安装尺寸 Installation size




柜体所需空间 Space required




前接码面板安装尺寸 Connectors front panel dimensions




背板安装尺寸 Rear panel dimensions



调节机构 Adjustment mechanism



抽屉木板尺寸 Drawer board dimensions







- 隐藏式全拉出缓冲抽屉
- 表面颜色: 灰色、白色及其它颜色
- 载重: 40kg
- 无需工具, 抽屉可快速安装和拆卸
- 静音系统, 滑轨运动顺畅
- 三维调节, 上下(可调±2mm)、左右(可调±1.5mm)方向, 面板倾斜调节
- 自闭功能, 平缓关闭, 抽屉关闭不受重量影响
- 长度: 300-550mm
- 针对面板无拉手的情形, 可选用内置反弹功能的CBZFT隐藏式反弹滑轨

- Soft close concealed full extension drawer
- Finish color: gray, white or various colors available
- Dynamic load capacity: 40kg
- Tool-free quick installation
- Quiet system can guarantee the slides run smoothly without noise
- 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
- Soft-closing function make the drawer close safely without effect of weight
- Length: 300-550mm
- For the panel without handle, can choose the CBZFT concealed slide with built-in push-open function


产品型号 Item No.	标称长度NL (mm) Nominal length	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
CBZ167-300N	300	269	303	4
CBZ167-350N	350	319	353	4
CBZ167-400N	400	369	403	4
CBZ167-450N	450	419	453	4
CBZ167-500N	500	469	503	4
CBZ167-550N	550	519	553	4




- CBZ167 侧板(左/右)+装饰盖 1付
CBZ167 Side board (L/R)+Cover 1Pair
- 滑轨(左/右) 1付 (可选CBZ缓冲滑轨或CBZFT反弹滑轨)
Slides (L/R) 1Pair (Optional CBZ soft-closing slide or CBZFT Push-open slide)
- CBZ167 配件包(左/右) 1付
CBZ167 Fitting bag (L/R) 1Pair
- CBZ167 铝面板配件包(左/右) 1付
CBZ167 Aluminum front panel fittings bag (L/R) 1Pair
- CBZ167 铝面板 1件
CBZ167 Aluminum front panel 1Pcs
- CBZ167 铝面板拉杆 1件
CBZ167 Aluminum rod 1Pcs




柜体滑轨安装孔尺寸 Hole pattern




滑轨安装尺寸 Installation size




柜体所需空间 Space required




铝面板装配示意 Aluminum front panel assembly




背板安装尺寸 Rear panel dimensions




调节机构 Adjustment mechanism




抽屉木板尺寸 Drawer board dimensions






- 隐藏式全拉出缓冲抽屉
 - 表面颜色: 灰色、白色及其它颜色
 - 载重: 40kg
 - 无需工具, 抽屉可快速安装和拆卸
 - 静音系统, 滑轨运动顺畅
 - 三维调节, 上下(可调 ±2mm)、左右(可调 ±1.5mm)方向, 面板倾斜调节
 - 自闭功能, 平缓关闭, 抽屉关闭不受重量影响
 - 长度: 300-550mm
 - 针对面板无拉手的情形, 可选用内置反弹功能的CBZFT隐藏式反弹滑轨
- Soft close concealed full extension drawer
 - Finish color: gray, white or various colors available
 - Dynamic load capacity: 40kg
 - Tool-free quick installation
 - Quiet system can guarantee the slides run smoothly without noise
 - 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
 - Soft-closing function make the drawer close safely without effect of weight
 - Length: 300-550mm
 - For the panel without handle, can choose the CBZFT concealed slide with built-in push-open function

产品型号 Item No.	标称长度NL (mm) Nominal length	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
CBZ199-300W	300	269	303	4
CBZ199-350W	350	319	353	4
CBZ199-400W	400	369	403	4
CBZ199-450W	450	419	453	4
CBZ199-500W	500	469	503	4
CBZ199-550W	550	519	553	4




- CBZ199 侧板(左/右)+装饰盖 1付
CBZ199 Side board (L/R)+Cover 1Pair
- 滑轨(左/右) 1付 (可选CBZ缓冲滑轨或CBZFT反弹滑轨)
Slides (L/R) 1Pair (Optional CBZ soft-closing slide or CBZFT Push-open slide)
- CBZ199 配件包(左/右) 1付
CBZ199 Fitting bag (L/R) 1Pair


柜体滑轨安装孔尺寸 Hole pattern




滑轨安装尺寸 Installation size




CBZFT 反弹滑轨 CBZFT Push-open slide




柜体所需空间 Space required




前接码面板安装尺寸 Connectors front panel dimensions




背板安装尺寸 Rear panel dimensions




调节机构 Adjustment mechanism




抽屉木板尺寸 Drawer board dimensions






- 隐藏式全拉出缓冲抽屉
 - 表面颜色: 灰色、白色及其它颜色
 - 载重: 40kg
 - 无需工具, 抽屉可快速安装和拆卸
 - 静音系统, 滑轨运动顺畅
 - 三维调节, 上下(可调 ±2mm)、左右(可调 ±1.5mm)方向, 面板倾斜调节
 - 自闭功能, 平缓关闭, 抽屉关闭不受重量影响
 - 长度: 300-550mm
 - 针对面板无拉手的情形, 可选用内置反弹功能的CBZFT隐藏式反弹滑轨
-
- Soft close concealed full extension drawer
 - Finish color: gray, white or various colors available
 - Dynamic load capacity: 40kg
 - Tool-free quick installation
 - Quiet system can guarantee the slides run smoothly without noise
 - 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
 - Soft-closing function make the drawer close safely without effect of weight
 - Length: 300-550mm
 - For the panel without handle, can choose the CBZFT concealed slide with built-in push-open function

产品型号 Item No.	标称长度NL (mm) Nominal length	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
CBZ199-300N	300	269	303	4
CBZ199-350N	350	319	353	4
CBZ199-400N	400	369	403	4
CBZ199-450N	450	419	453	4
CBZ199-500N	500	469	503	4
CBZ199-550N	550	519	553	4




- 1 CBZ199 侧板(左/右)+装饰盖 1付
CBZ199 Side board (L/R)+Cover 1Pair
- 2 滑轨(左/右) 1付 (可选CBZ缓冲滑轨或CBZFT反弹滑轨)
Slides (L/R) 1Pair (Optional CBZ soft-closing slide or CBZFT Push-open slide)
- 3 CBZ199 配件包(左/右) 1付
CBZ199 Fitting bag (L/R) 1Pair
- 4 CBZ199 铝面板配件包(左/右) 1付
CBZ199 Aluminum front panel fittings bag (L/R) 1Pair
- 5 CBZ199 铝面板 1件
CBZ199 Aluminum front panel 1Pcs
- 6 CBZ199 铝面板拉杆 1件
CBZ199 Aluminum rod 1Pcs


柜体滑轨安装孔尺寸 Hole pattern




滑轨安装尺寸 Installation size




柜体所需空间 Space required




铝面板装配示意 Aluminum front panel assembly




背板安装尺寸 Rear panel dimensions




调节机构 Adjustment mechanism




抽屉木板尺寸 Drawer board dimensions







CBZ69N 超薄豪华骑马抽屉-(内低抽) Slim Luxury Double Wall Drawer -(Lower Inner Drawer)




CBZ167N 超薄豪华骑马抽屉-(内高抽) Slim Luxury Double Wall Drawer -(High Inner Drawer)



CBZ84N 超薄豪华骑马抽屉-(内低抽) Slim Luxury Double Wall Drawer -(Lower Inner Drawer)



CBZ199N 超薄豪华骑马抽屉-(内低抽) Slim Luxury Double Wall Drawer -(High Inner Drawer)



CBZ116N 超薄豪华骑马抽屉-(内中抽) Slim Luxury Double Wall Drawer -(Medium Inner Drawer)

